Please amend the claims as follows:

Claims 1-9 (Canceled).

Claim 10 (Currently Amended): A process for carrying out <u>an</u> exothermic chemical equilibrium <u>reactions</u> in a fluidized-bed reactor <u>comprising a fluidized bed</u>, wherein there is a temperature distribution along the flow direction in the fluidized bed of the fluidized-bed reactor and the temperature difference between the lowest temperature and the highest temperature is at least 10 K and wherein the temperature within the fluidized bed decreases from an absolute temperature maximum along the flow direction to the surface of the fluidized bed.

Claim 11 (Currently Amended): The process according to claim [[1]] 10, wherein the fluidized-bed reactor contains a gas distributor, and wherein the temperature within the fluidized bed decreases from an absolute temperature maximum in the fluidized bed along the flow direction to the surface of the fluidized bed and to the gas distributor.

Claim 12 (Currently Amended): The process according to claim [[1]] 11, wherein the distance between the absolute temperature maximum and the gas distributor is smaller than the distance between the absolute temperature maximum and the surface of the fluidized bed.

Claim 13 (Currently Amended): The process according to claim [[1]] 10, wherein the temperature of the reaction gases fed to the fluidized-bed reactor is below the lowest temperature occurring in the fluidized bed.

2

Claim 14 (Currently Amended): The process according to claim [[1]] 10, wherein the temperature distribution is produced by heat transfer to at least one heat exchanger within the fluidized bed.

Claim 15 (Currently Amended): The process according to claim [[1]] 10, wherein the chemical reaction is the preparation of chlorine from hydrogen chloride and oxygen.

Claim 16 (Currently Amended): The process according to claim [[1]] 10, wherein the fluidized bed comprises a catalyst which comprises a metal component on an oxidic support.

Claim 17 (Currently Amended): The process according to claim [[7]] 16, wherein the catalyst comprises a ruthenium compound.

Claim 18 (Withdrawn and Currently Amended): A fluidized-bed reactor for carrying out the process according to claim [[1]] 10 in a fluidized bed into which reaction gases are fed via a gas distributor, wherein at least one heat exchanger is located in the fluidized bed to control the temperature distribution within the fluidized bed and wherein the distance between the gas distributor and the nearest heat exchanger is at least 50 cm.

Claim 19 (New): The process according to claim 10, wherein the fluidized bed is divided into two temperature zones.

Claim 20 (New): The process according to claim 10, wherein the fluidized-bed reactor contains a gas distributor and the temperature distribution is produced by heat transfer

to at least one heat exchanger within the fluidized bed, and the distance between the gas distributor and the nearest heat exchanger above the gas distributor is at least 25 cm.

Claim 21 (New): The process according to claim 20, wherein the distance is at least 50 cm.

Claim 22 (New): The process according to claim 10, wherein the fluidized-bed reactor is designed as a bubble-forming fluidized bed having a superficial gas velocity of from 0.01 to 1 m/s.

Claim 23 (New): The process according to claim 22, wherein the superficial gas velocity is from 0.5 to 0.50 m/s.

Claim 24 (New): The process according to claim 10, wherein a heat exchanger is located in the lower part of the fluidized bed and a heat exchanger is located in the upper part of the fluidized bed.

Claim 25 (New): The process according to claim 19, wherein a dividing plate is positioned between the two temperature zones.

Claim 26 (New): The process according to claim 25, wherein the dividing plate is configured as a perforated plate having openings in the shape of a truncated cone.